ERWENT-ACC-NO: 2003-145602

DERWENT-WEEK: 200314

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Liquid crystal display and its fabrication

INVENTOR: HWANG, G J; SEO, H S

PATENT-ASSIGNEE: LG PHILIPS LCD CO LTD[GLDS]

PRIORITY-DATA: 2001KR-0011801 (March 7, 2001)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE

PAGES MAIN-IPC

KR 2002071643 A September 13, 2002 N/A

001 G02F 001/136

APPLICATION-DATA:

PUB-NO APPL-DESCRIPTOR APPL-NO

APPL-DATE

KR2002071643A N/A 2001KR-0011801

March 7, 2001

INT-CL (IPC): G02F001/136

ABSTRACTED-PUB-NO: KR2002071643A

BASIC-ABSTRACT:

NOVELTY - A liquid crystal display and a method for fabricating the same are

provided to increase the selection range of wire materials by forming pixel

electrodes with PEDOT (Polyethylene-dioxythiophene) to prevent the exposure

damage of gate wires formed of aluminum or copper and prevent the diffusion of

metal into a liquid crystal layer by covering the gate wires.

DETAILED DESCRIPTION - A liquid crystal display includes gate wires and gate

pads formed in active and pad areas on a first substrate, data wires and data

pads intersecting the gate wires, gate electrodes extended from the gate wires,

source/drain electrodes extended from the data wires lorganic pixel

## electrodes (119a) formed in pixel areas to be connected to the drain electrodes,

an organic conductive film(119b) connected to the gate pads and data pads, and

a liquid crystal layer formed between the first substrate and a second

substrate facing the first substrate with a predetermined distance.

CHOSEN-DRAWING: Dwg.1/10

TITLE-TERMS: LIQUID CRYSTAL DISPLAY FABRICATE


DERWENT-CLASS: A89 L03 P81 U14

CPI-CODES: A05-J12; A12-L03B; L03-G05A;

EPI-CODES: U14-K01A1J;

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C2003-037232



## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.